



unios®



EQ Series

**Unremarkably
brilliant.**

Perfecting the essentials –
classic Unios design, pro-grade
performance, simplified options and a
compact price to match.

unios.com/eq

Perfect lighting with minimal fuss.

①

EQ Essential Downlight

A downlight staple for
your everyday use.

②

EQ Comfort Downlight

An inset downlight designed
with your comfort in mind.

③

EQ Tilt Downlight

A tiltable light that puts your
prized possessions in focus.

④

EQ Track Light

A track light for your
evolving needs.



**Small range,
big possibilities.**



From your home to your business, there's no limit to the spaces that you can perfectly light. In a world of many choices, we have selected and perfected your favourites.





Essential

Downlight



Size
56
Ø 105 (Ø 92)

Finish
Textured Black
Textured White

CCT
3000K
4000K






10W • 853lm (at 3000K) / 900lm (at 4000K) • 60° Beam

UGR: <19 • IP Rating: IP44 • 3 Year Warranty • CRI: 90+ (R9>50)
Colour Deviation: SDCM≤3 • LED Lifetime: 59,000h L70B10
Dimming: LED Phase-Cut Dimmer, Trailing Edge



Comfort
Downlight



Size	Finish	CCT
85  Ø 100 (Ø 92)	 Textured Black  Textured White	 3000K  4000K

10W • 804lm (at 3000K) / 849lm (at 4000K) • 60° Beam

UGR: <16 • IP Rating: IP44 • 3 Year Warranty • CRI: 90+ (R9>50)
Colour Deviation: SDCM≤3 • LED Lifetime: 59,000h L70B10
Dimming: LED Phase-Cut Dimmer, Trailing Edge



Tilt

Downlight





Size



63

Ø 104 (Cut 92)

Finish

 
Textured
Black Textured
White

CCT

 
3000K 4000K



10W • 767lm (at 3000K) / 810lm (at 4000K) • 60° Beam • 20° Tilt

UGR: <19 • IP Rating: IP44 • 3 Year Warranty • CRI: 90+ (R9>50)
Colour Deviation: SDCM≤3 • LED Lifetime: 59,000h L70B10
Dimming: LED Phase-Cut Dimmer, Trailing Edge • Tilt: 20°



Track

Light



Size

Finish

CCT



Textured
Black



Textured
White



3000K



4000K

10W • 968lm (at 3000K) / 1045lm (at 4000K) • 40° Beam

Single Circuit (1C) Track • UGR: <19
IP Rating: IP20 • 3 Year Warranty • CRI: 90+ (R9>50)
Colour Deviation: SDCM≤3 • LED Lifetime: 59,000h L70B10
Dimming: LED Phase-Cut Dimmer, Trailing Edge

unios.com/eqtrack

EQ Series

**Unremarkably
brilliant.**




unios.com/eqessential



unios.com/eqcomfort



unios.com/eqtilt



unios.com/eqtrack

Visit the Unios Toolbox links for
complete product specifications.



Instagram: instagram.com/unioslight
Facebook: facebook.com/unioslight
LinkedIn: linkedin.com/company/unios
YouTube: youtube.com/unioslight
Pinterest: pinterest.com/unioslight

© Unios Pty Ltd 2021

No part of this catalogue may be reproduced
without prior permission from Unios Pty Ltd.
Models and technical specifications are subject
to modification and enhancements.

